

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	CALC	0309	ZPIP0101 01	11111	7.30 16.30		21	1,145	210 25 00000
4	CALC	0309X	ZPIP0101 01	11111	7.30 16.30		21	1,130	210 25 00000
	CALC	0310	PHSC1000 01	1 1 1	9.00 9.50		30	1,756	210 25 00000
	CALC	0310	PHSC1000 02	1 1 1	10.00 10.50		30	1,756	210 25 00000
	CALC	0310	PHYS2100 01	1 1	12.00 13.15		17	1,756	210 25 00000
	CALC	0310	PHSC1100 02	1	12.15 14.45		19	1,756	210 25 00000
	CALC	0310	PHYS2110 01	1	13.30 16.00		12	1,756	210 25 00000
	CALC	0310	PHSC1100 01	1	13.30 16.30		11	1,756	210 25 00000
	CALC	0313	ZHVC0101 02	111	13.00 17.00		10	3,160	210 40 00000
	CALC	0313	ZHVC0101 01	1111	17.30 20.30		10	3,160	210 40 00000
	CALC	0313X	ZHVC0101 02	111	13.00 17.00		10	1,824	210 36 00000
	CALC	0313X	ZHVC0101 01	1111	17.30 20.30		10	1,824	210 36 00000
	CALC	0315	ZLTC0101 01	1111	8.30 11.30		24	596	210 25 00000
8	CALC	0315	ZLTC0101 04	1111	8.30 11.30	1	24	596	210 25 00000
8	CALC	0315	ZLTC0101 07	1111	8.30 11.30	1	24	596	210 25 00000
	CALC	0315	ZLTC0101 02	1111	12.00 14.30		10	596	210 25 00000
	CALC	0315	ZLTC0101 05	1111	12.00 14.30	1	10	596	210 25 00000
	CALC	0315	ZLTC0101 08	1111	12.00 14.30	1	10	596	210 25 00000
	CALC	0315	ZLTC0101 03	1111	16.00 19.30		14	596	210 25 00000
	CALC	0315	ZLTC0101 06	1111	16.00 19.30	1	14	596	210 25 00000
8	CALC	0315	ZLTC0101 09	1111	16.00 19.30	1	14	596	210 25 00000
	CALC	0316	ZLTC0101 01	1111	8.30 11.30		24	587	210 25 00000
	CALC	0316	ZLTC0101 02	1111	12.00 14.30		10	587	210 25 00000
	CALC	0316	ZLTC0101 03	1111	16.00 19.30		14	587	210 25 00000
	CALC	0319	ZLTC0101 04	1111	8.30 11.30		24	619	110 20 00000
	CALC	0319	ZLTC0101 05	1111	12.00 14.30		10	619	110 20 00000
	CALC	0319	ZLTC0101 06	1111	16.00 19.30		14	619	110 20 00000
	CALC	0320	ZLTC0101 07	1111	8.30 11.30		24	619	110 22 00000
	CALC	0320	ZLTC0101 08	1111	12.00 14.30		10	619	110 22 00000
	CALC	0320	ZLTC0101 09	1111	16.00 19.30		14	619	110 22 00000
4	CALC	0325	ZNDT0101 01	111111	13.00 20.00		20	1,607	210 30 00000
4	CALC	0328X	ZNDT0101 01	111111	13.00 20.00		20	2,157	210 20 00000
4	CHAR	1142	CULN1603 01	1	7.00 13.30		13	715	210 25 00000
4	CHAR	1142	CULN2413 01	1 1	7.00 13.50		11	715	210 25 00000
4	CHAR	1142	CULN1233 01	1	7.00 14.55		12	715	210 25 00000
4	CHAR	1142	CULN1323 01	1	7.00 14.55		11	715	210 25 00000
4	CHAR	1142	CULN1103 01	1	8.00 12.05		17	715	210 25 00000
4	CHAR	1142	CULN1506 01	1 1	8.00 13.50		15	715	210 25 00000
4	CHAR	1142	CULN1033 01	1	8.00 13.50		5	715	210 25 00000
4	CHAR	1142	CULN1953 01	1	8.00 14.50		10	715	210 25 00000
4	CHAR	1142	CULN1023 01	1	8.00 14.55		3	715	210 25 00000
4	CHAR	1142	CULN2013 01	1	8.00 14.55	1	4	715	210 25 00000
4	CHAR	1142	CULN1013 01	1	8.00 14.55		4	715	210 25 00000
4	CHAR	1142	CULN1043 01	1	8.00 14.55	1	2	715	210 25 00000
4	CHAR	1142	CULN1172 01	1	9.25 14.50	1	16	715	210 25 00000
4	CHAR	1144	CULN1603 01	1	7.00 13.30		13	981	210 40 00000
4	CHAR	1144	CULN2413 01	1 1	7.00 13.50		11	981	210 40 00000
4	CHAR	1144	CULN1233 01	1	7.00 14.55		12	981	210 40 00000
4	CHAR	1144	CULN1103 01	1	8.00 12.05	1	17	981	210 40 00000
4	CHAR	1144	CULN1506 01	1 1	8.00 13.50		15	981	210 40 00000
4	CHAR	1144	CULN1033 01	1	8.00 13.50		5	981	210 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 2

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	CHAR 1144	CULN1953 01	1	8.00 14.50		10	981	210 40	00000
4	CHAR 1144	CULN1023 01	1	8.00 14.55		3	981	210 40	00000
4	CHAR 1144	CULN2013 01	1	8.00 14.55	1	4	981	210 40	00000
4	CHAR 1144	CULN1013 01	1	8.00 14.55		4	981	210 40	00000
4	CHAR 1144	CULN1043 01	1	8.00 14.55	1	2	981	210 40	00000
4	CHAR 1144	CULN1172 01	1	9.25 14.50	1	16	981	210 40	00000
4	8 CHAR 1147	CULN1603 01	1	7.00 13.30		13	160	210 5	00000
4	8 CHAR 1147	CULN2413 01	1	7.00 13.50		11	160	210 5	00000
4	8 CHAR 1147	CULN1233 01	1	7.00 14.55		12	160	210 5	00000
4	8 CHAR 1147	CULN1323 01	1	7.00 14.55		11	160	210 5	00000
4	8 CHAR 1147	CULN1103 01	1	8.00 12.05		17	160	210 5	00000
4	8 CHAR 1147	CULN1506 01	1	8.00 13.50	1	15	160	210 5	00000
4	CHAR 1147	CULN1033 01	1	8.00 13.50		5	160	210 5	00000
4	8 CHAR 1147	CULN1953 01	1	8.00 14.50		10	160	210 5	00000
4	CHAR 1147	CULN1023 01	1	8.00 14.55		3	160	210 5	00000
4	CHAR 1147	CULN2013 01	1	8.00 14.55	1	4	160	210 5	00000
4	CHAR 1147	CULN1013 01	1	8.00 14.55		4	160	210 5	00000
4	CHAR 1147	CULN1043 01	1	8.00 14.55	1	2	160	210 5	00000
4	8 CHAR 1147	CULN1172 01	1	9.25 14.50	1	16	160	210 5	00000
4	CHAR 1149	CULN1603 01	1	7.00 13.30		13	512	210 15	00000
4	CHAR 1149	CULN2413 01	1	7.00 13.50		11	512	210 15	00000
4	CHAR 1149	CULN1233 01	1	7.00 14.55		12	512	210 15	00000
4	CHAR 1149	CULN1323 01	1	7.00 14.55		11	512	210 15	00000
4	CHAR 1149	CULN1103 01	1	8.00 12.05		17	512	210 15	00000
4	CHAR 1149	CULN1506 01	1	8.00 13.50	1	15	512	210 15	00000
4	CHAR 1149	CULN1033 01	1	8.00 13.50		5	512	210 15	00000
4	CHAR 1149	CULN1953 01	1	8.00 14.50		10	512	210 15	00000
4	CHAR 1149	CULN1023 01	1	8.00 14.55		3	512	210 15	00000
4	CHAR 1149	CULN2013 01	1	8.00 14.55	1	4	512	210 15	00000
4	CHAR 1149	CULN1013 01	1	8.00 14.55		4	512	210 15	00000
4	CHAR 1149	CULN1043 01	1	8.00 14.55	1	2	512	210 15	00000
4	CHAR 1149	CULN1172 01	1	9.25 14.50	1	16	512	210 15	00000
4	CHAR 1151	CULN1223 01	1	6.30 7.50	1	8	1,900	210 50	00000
4	CHAR 1151	CULN1603 01	1	7.00 13.30	1	13	1,900	210 50	00000
4	CHAR 1151	CULN2413 01	1	7.00 13.50		11	1,900	210 50	00000
4	CHAR 1151	CULN1233 01	1	7.00 14.55		12	1,900	210 50	00000
4	CHAR 1151	CULN1323 01	1	7.00 14.55		11	1,900	210 50	00000
4	CHAR 1151	CULN1103 01	1	8.00 12.05		17	1,900	210 50	00000
4	CHAR 1151	CULN1506 01	1	8.00 13.50	1	15	1,900	210 50	00000
4	CHAR 1151	CULN1033 01	1	8.00 13.50		5	1,900	210 50	00000
4	CHAR 1151	CULN1953 01	1	8.00 14.50		10	1,900	210 50	00000
4	CHAR 1151	CULN1023 01	1	8.00 14.55		3	1,900	210 50	00000
4	CHAR 1151	CULN2013 01	1	8.00 14.55	1	4	1,900	210 50	00000
4	CHAR 1151	CULN1013 01	1	8.00 14.55		4	1,900	210 50	00000
4	CHAR 1151	CULN1043 01	1	8.00 14.55	1	2	1,900	210 50	00000
4	CHAR 1151	CULN1172 01	1	9.25 14.50	1	16	1,900	210 50	00000
4	CHAR 1152	CULN1603 01	1	7.00 13.30		13	703	210 15	00000
4	CHAR 1152	CULN2413 01	1	7.00 13.50		11	703	210 15	00000
4	CHAR 1152	CULN1233 01	1	7.00 14.55		12	703	210 15	00000
4	CHAR 1152	CULN1323 01	1	7.00 14.55		11	703	210 15	00000
4	CHAR 1152	CULN1103 01	1	8.00 12.05		17	703	210 15	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	CHAR 1152	CULN1506 01	1 1	8.00 13.50		15	703	210 15	00000
4	CHAR 1152	CULN1033 01	1	8.00 13.50		5	703	210 15	00000
4	CHAR 1152	CULN1953 01	1	8.00 14.50		10	703	210 15	00000
4	CHAR 1152	CULN1023 01	1	8.00 14.55		3	703	210 15	00000
4	CHAR 1152	CULN2013 01	1	8.00 14.55	1	4	703	210 15	00000
4	CHAR 1152	CULN1013 01	1	8.00 14.55		4	703	210 15	00000
4	CHAR 1152	CULN1043 01	1	8.00 14.55	1	2	703	210 15	00000
4	CHAR 1152	CULN1172 01	1	9.25 14.50	1	16	703	210 15	00000
4	CHAR 1152	CULN2037 01	1	16.00 23.00		3	703	210 15	00000
	CHAR 1200	MATH1000 01	1 1	8.00 9.15		13	514	110 32	00000
	CHAR 1200	MATH0099 07	1 1	9.25 10.40		23	514	110 32	00000
	CHAR 1200	MATH2100 01	1 1	10.50 12.05		21	514	110 32	00000
	CHAR 1200	MATH0098 02	1 1	12.15 13.30		21	514	110 32	00000
	CHAR 1202	MATH0098 09	1 1 1	8.00 8.50		25	514	110 27	00000
	CHAR 1202	MATH0099 01	1 1 1	9.00 9.50		24	514	110 27	00000
	CHAR 1202	MATH1100 10	1 1 1	9.00 9.50	1	6	514	110 27	00000
	CHAR 1202	MATH0099 01	1 1	9.25 10.40		24	514	110 27	00000
	CHAR 1202	MATH1100 10	1 1	9.25 10.40	1	6	514	110 27	00000
	CHAR 1202	MATH0099 04	1 1	10.50 12.05		26	514	110 27	00000
8	CHAR 1202	MATH1100 11	1 1	10.50 12.05	1	16	514	110 27	00000
	CHAR 1202	MATH0099 04	1 1 1	11.00 11.50		26	514	110 27	00000
8	CHAR 1202	MATH1100 11	1 1 1	11.00 11.50	1	16	514	110 27	00000
	CHAR 1202	MATH2100 02	1 1	12.00 13.15		25	514	110 27	00000
	CHAR 1204	MATH0098 01	1 1	8.00 9.15		22	514	110 30	00000
	CHAR 1204	MATH0098 08	1 1 1	9.00 9.50		24	514	110 30	00000
	CHAR 1204	MATH0098 06	1 1	9.25 10.40		27	514	110 30	00000
	CHAR 1204	MATH0099 09	1 1 1	10.00 10.50		24	514	110 30	00000
	CHAR 1204	MATH0098 05	1 1	10.50 12.05		25	514	110 30	00000
	CHAR 1204	MATH0099 13	1 1	10.50 12.05	1	16	514	110 30	00000
	CHAR 1204	MATH0098 05	1 1 1	11.00 11.50		25	514	110 30	00000
	CHAR 1204	MATH0099 13	1 1 1	11.00 11.50	1	16	514	110 30	00000
	CHAR 1205	I TEC2995 01			1	10	1,597	240 40	00000
	CHAR 1205	I TEC2120 01	1 1	8.00 9.50		4	1,597	240 40	00000
	CHAR 1205	I TEC2110 01	1 1 1	8.30 9.50		12	1,597	240 40	00000
	CHAR 1205	I TEC1016 01	1 1 1	10.00 10.50		20	1,597	240 40	00000
	CHAR 1205	I TEC1200 01	1 1	10.50 12.05		21	1,597	240 40	00000
	CHAR 1205	I TEC1100 01	1 1 1	11.00 11.50		23	1,597	240 40	00000
	CHAR 1205	I TEC1101 01	1 1	12.00 12.50		23	1,597	240 40	00000
	CHAR 1206	MATH0098 20	1 1	8.00 9.15		15	1,001	110 50	00000
	CHAR 1206	MATH0098 10	1 1 1	9.00 9.50		28	1,001	110 50	00000
	CHAR 1206	MATH2100 03	1 1	9.25 10.40		25	1,001	110 50	00000
	CHAR 1206	MATH0098 07	1 1	10.50 12.05		29	1,001	110 50	00000
	CHAR 1206	MATH1100 03	1 1 1	11.00 11.50		30	1,001	110 50	00000
	CHAR 1206	MATH0098 14	1 1	12.00 13.15		27	1,001	110 50	00000
	CHAR 1207	OADM1150 01	1 1 1	8.00 8.50		25	1,137	210 35	00000
4	CHAR 1207	ZCSS0101 01	1	8.00 16.30	1	25	1,137	210 35	00000
	CHAR 1207	BUSI1030 01	1 1 1	9.00 9.50		25	1,137	210 35	00000
	CHAR 1207	I TEC1000 03	1 1	9.25 10.40		23	1,137	210 35	00000
	CHAR 1207	I TEC1210 02	1 1 1	10.00 10.50		17	1,137	210 35	00000
	CHAR 1207	BUSI1030 02	1 1	10.50 12.05		25	1,137	210 35	00000
	CHAR 1207	I TEC1210 01	1 1 1	11.00 11.50		17	1,137	210 35	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHAR	1207	ITEC1020 01	1 1	12.00 13.15		9	210 35	00000
	CHAR	1208	MATH0099 00	1 1 1	9.00 9.50		27	110 45	00000
	CHAR	1208	MATH1100 05	1 1 1	10.00 10.50		30	110 45	00000
	CHAR	1208	MATH0099 05	1 1	10.50 12.05		29	110 45	00000
	CHAR	1208	MATH0098 03	1 1	12.00 13.15		22	110 45	00000
	CHAR	1208	MATH0099 14	1 1	12.00 13.15	1	11	110 45	00000
	CHAR	1208	MATH0098 03	1 1	12.15 13.30		22	110 45	00000
	CHAR	1208	MATH0099 14	1 1	12.15 13.30	1	11	110 45	00000
	CHAR	1208	MATH0099 11	1 1	17.30 18.45		25	110 45	00000
	CHAR	1208	MATH0098 19	1	18.50 20.05		6	110 45	00000
	CHAR	1208	MATH1100 09	1	18.50 20.05		24	110 45	00000
	CHAR	1209	ITEC2994 01			1	5	210 32	00000
	CHAR	1209	ITEC1000 02	1 1	8.00 8.50		23	210 32	00000
	CHAR	1209	ITEC1010 02	1 1	9.00 10.50		15	210 32	00000
	CHAR	1209	ITEC1010 01	1 1	9.25 10.40		18	210 32	00000
	CHAR	1209	ITEC1550 01	1 1	10.00 10.50		11	210 32	00000
	CHAR	1209	ITEC1320 01	1 1	10.50 12.05		25	210 32	00000
	CHAR	1209	ITEC2680 01	1 1	11.00 11.50		7	210 32	00000
	CHAR	1209	ITEC1000 01	1 1	12.00 12.50		25	210 32	00000
	CHAR	1210	CULN1223 01	1 1 1	6.30 7.50		8	110 25	00000
	CHAR	1210	CULN1103 01	1	8.00 12.05		17	110 25	00000
4	CHAR	1210	CULN1506 01	1 1	8.00 13.50		15	110 25	00000
4	CHAR	1210	CULN1172 01	1	9.25 14.50		16	110 25	00000
	CHAR	1212	ACCT1250 01	1 1 1	9.00 9.50		12	110 24	00000
	CHAR	1212	BUSI2310 02	1 1	9.25 10.40		22	110 24	00000
	CHAR	1212	BUSI2330 02	1 1	10.50 12.05		14	110 24	00000
	CHAR	1214	ACCT1110 03	1 1	8.00 9.15		23	110 25	00000
	CHAR	1214	ACCT1110 06	1 1 1	9.00 9.50		24	110 25	00000
	CHAR	1214	ACCT2040 01	1 1	9.25 10.40		8	110 25	00000
	CHAR	1214	ACCT2030 01	1 1 1	10.00 10.50		16	110 25	00000
	CHAR	1214	ACCT1120 01	1 1	10.50 12.05		11	110 25	00000
	CHAR	1214	ACCT1110 02	1 1 1	11.00 11.50		24	110 25	00000
	CHAR	1215	ACCT1210 01	1 1 1	8.00 8.50		11	210 25	00000
	CHAR	1215	OADM2640 01	1 1	8.00 9.15		16	210 25	00000
	CHAR	1215	OADM1550 01	1 1	9.00 9.50		4	210 25	00000
	CHAR	1215	OADM1330 01	1 1	9.25 10.40		10	210 25	00000
	CHAR	1215	OADM1450 01	1 1	10.00 10.50		11	210 25	00000
	CHAR	1215	OADM1650 01	1 1	11.00 11.50		2	210 25	00000
	CHAR	1217	BUSI2300 01	1 1 1	8.00 8.50		22	210 30	00000
	CHAR	1217	OADM2530 01	1 1	8.00 9.15		1	210 30	00000
	CHAR	1217	OADM1100 01	1 1	9.25 10.40		23	210 30	00000
	CHAR	1217	BUSI1090 01	1 1 1	10.00 10.50		23	210 30	00000
	CHAR	1217	BUSI1080 01	1 1	10.50 12.05		24	210 30	00000
	CHAR	1217	OADM1200 01	1 1 1	11.00 11.50		3	210 30	00000
	CHAR	1234A	MATH1100 08	1 1 1	8.00 8.50		28	110 30	00000
	CHAR	1234A	MATH1100 06	1 1	8.00 9.15		29	110 30	00000
	CHAR	1234A	MATH0099 03	1 1 1	9.00 9.50		27	110 30	00000
	CHAR	1234A	MATH0099 08	1 1	9.25 10.40		28	110 30	00000
	CHAR	1234A	MATH0098 13	1 1 1	10.00 10.50		29	110 30	00000
	CHAR	1234A	MATH0098 11	1 1	10.50 12.05		29	110 30	00000
	CHAR	1234A	MATH0099 10	1 1 1	11.00 11.50		29	110 30	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHAR	1234A	MATH0098 18	1 1	13.00 14.15		24	873	110 30 00000
	CHAR	1234B	MATH0098 12	1 1 1	8.00 8.50		28	1,065	110 30 00000
	CHAR	1234B	MATH1100 01	1 1 1	9.00 9.50		30	1,065	110 30 00000
	CHAR	1234B	MATH1100 07	1 1	9.25 10.40		31	1,065	110 30 00000
	CHAR	1234B	MATH1100 13	1 1 1	10.00 10.50		28	1,065	110 30 00000
	CHAR	1234B	MATH1100 02	1 1	10.50 12.05		28	1,065	110 30 00000
	CHAR	1234B	MATH1100 04	1 1	12.00 13.15		28	1,065	110 30 00000
	CHAR	1234B	MATH1100 12	1 1	12.15 13.30		30	1,065	110 30 00000
	CHEN	0400	AMTA2030 01	11111	8.00 11.30		9	19,594	210 49 00000
	CHEN	0400	AMTA2040 01	11111	8.00 11.30	1	9	19,594	210 49 00000
	CHEN	0400	AMTA2060 01	11111	8.00 11.30	1	9	19,594	210 49 00000
	CHEN	0400	AMTP2290 01	11111	11.30 15.00		9	19,594	210 49 00000
	CHEN	0400	AMTA2030 01	11111	12.00 15.00	1	9	19,594	210 49 00000
	CHEN	0400	AMTA2040 01	11111	12.00 15.00	1	9	19,594	210 49 00000
	CHEN	0400	AMTA2060 01	11111	12.00 15.00	1	9	19,594	210 49 00000
	CHEN	0400	AMTA2070 01	11111	12.00 15.00	1	10	19,594	210 49 00000
	CHEN	0400	AMTA2080 01	11111	12.00 15.00	1	8	19,594	210 49 00000
	CHEN	0400	AMTG1020 01	11111	12.00 15.00	1	15	19,594	210 49 00000
8	CHEN	0400	AMTP2220 01	11111	12.00 15.00	1	9	19,594	210 49 00000
8	CHEN	0400	AMTP2240 01	11111	12.00 15.00	1	8	19,594	210 49 00000
8	CHEN	0400	AMTP2250 01	11111	12.00 15.00	1	9	19,594	210 49 00000
8	CHEN	0400	AMTP2280 01	11111	12.00 15.00	1	8	19,594	210 49 00000
	CHEN	0401	AMTA2060 01	11111	12.00 15.00		9	416	210 8 00000
8	CHEN	0401	AMTG1030 01	11111	12.00 15.00	1	15	416	210 8 00000
	CHEN	0404	AMTG1010 01	11111	12.00 15.00		16	647	210 13 00000
8	CHEN	0404	AMTG1040 01	11111	12.00 15.00	1	16	647	210 13 00000
8	CHEN	0404	AMTG1070 01	11111	12.00 15.00	1	16	647	210 13 00000
	CHEN	0408	AMTA2110 01	11111	12.00 15.00		4	508	110 15 00000
8	CHEN	0412	AMTG1050 01	11111	12.00 15.00		15	471	210 9 00000
8	CHEN	0412	AMTG1080 01	11111	12.00 15.00	1	16	471	210 9 00000
8	CHEN	0414	AMTG1060 01	11111	12.00 15.00		15	277	210 6 00000
	CHEN	0418	AMTA2030 01	11111	12.00 15.00		9	2,278	210 15 00000
	CHEN	0418	AMTA2040 01	11111	12.00 15.00	1	9	2,278	210 15 00000
	CHEN	0419	AMTG1090 01	11111	12.00 15.00		15	556	210 11 00000
	CHEN	0421	AMTA2030 01	11111	8.00 11.30		9	13,140	210 50 00000
	CHEN	0421	AMTA2040 01	11111	8.00 11.30	1	9	13,140	210 50 00000
	CHEN	0421	AMTA2060 01	11111	8.00 11.30	1	9	13,140	210 50 00000
	CHEN	0421	AMTP2290 01	11111	11.30 15.00		9	13,140	210 50 00000
	CHEN	0421	AMTA2030 01	11111	12.00 15.00	1	9	13,140	210 50 00000
	CHEN	0421	AMTA2040 01	11111	12.00 15.00	1	9	13,140	210 50 00000
	CHEN	0421	AMTA2060 01	11111	12.00 15.00	1	9	13,140	210 50 00000
	CHEN	0421	AMTA2070 01	11111	12.00 15.00	1	10	13,140	210 50 00000
	CHEN	0421	AMTA2080 01	11111	12.00 15.00	1	8	13,140	210 50 00000
	CHEN	0421	AMTG1020 01	11111	12.00 15.00	1	15	13,140	210 50 00000
8	CHEN	0421	AMTP2220 01	11111	12.00 15.00	1	9	13,140	210 50 00000
8	CHEN	0421	AMTP2240 01	11111	12.00 15.00	1	8	13,140	210 50 00000
8	CHEN	0421	AMTP2250 01	11111	12.00 15.00	1	9	13,140	210 50 00000
8	CHEN	0421	AMTP2270 02	11111	12.00 15.00	1	8	13,140	210 50 00000
8	CHEN	0421	AMTP2280 01	11111	12.00 15.00	1	8	13,140	210 50 00000
	CHEN	0423	AMTA2070 01	11111	8.00 11.30		10	18,750	110 50 00000
	CHEN	0423	AMTA2080 01	11111	8.00 11.30	1	8	18,750	110 50 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHEN	0423	AMTP2220 01	11111	8.00 11.30	1	9	18,750	110 50 00000
	CHEN	0423	AMTP2240 01	11111	8.00 11.30	1	8	18,750	110 50 00000
9	CHEN	0423	AMTP2240 01	11111	8.00 11.30		8	18,750	110 50 00000
	CHEN	0423	AMTP2250 01	11111	8.00 11.30	1	9	18,750	110 50 00000
	CHEN	0423	AMTP2270 02	11111	8.00 11.30	1	8	18,750	110 50 00000
	CHEN	0423	AMTP2280 01	11111	8.00 11.30	1	8	18,750	110 50 00000
8	CHEN	0423	AMTP2290 01	11111	8.00 11.30	1	9	18,750	110 50 00000
	CHEN	0423	AMTP2290 01	11111	11.30 15.00		9	18,750	110 50 00000
	CHEN	0423	AMTP2220 01	11111	12.00 15.00	1	9	18,750	110 50 00000
	CHEN	0423	AMTP2250 01	11111	12.00 15.00	1	9	18,750	110 50 00000
	CHEN	0423	AMTP2270 02	11111	12.00 15.00	1	8	18,750	110 50 00000
	CHEN	0423	AMTP2280 01	11111	12.00 15.00	1	8	18,750	110 50 00000
	GRST	0805	AMTP2220 01	11111	8.00 11.30		9	742	110 24 00000
	GRST	0805	AMTP2240 01	11111	8.00 11.30	1	8	742	110 24 00000
	GRST	0805	AMTP2250 01	11111	8.00 11.30	1	9	742	110 24 00000
	GRST	0805	AMTP2270 02	11111	8.00 11.30	1	8	742	110 24 00000
8	GRST	0805	AMTP2280 01	11111	8.00 11.30	1	8	742	110 24 00000
8	GRST	0805	AMTP2290 01	11111	8.00 11.30	1	9	742	110 24 00000
	GRST	0805	GAPC1100 01	11	18.00 19.30		11	742	110 24 00000
	GRST	0805	GAPC1110 01	11	19.35 21.00		11	742	110 24 00000
	GRST	0814	AMTA2030 01	11111	8.00 11.30		9	600	210 25 00000
	GRST	0814	AMTA2040 01	11111	8.00 11.30	1	9	600	210 25 00000
	GRST	0814	AMTA2060 01	11111	8.00 11.30	1	9	600	210 25 00000
	GRST	0814	AMTA2070 01	11111	8.00 11.30	1	10	600	210 25 00000
8	GRST	0814	AMTA2080 01	11111	8.00 11.30	1	8	600	210 25 00000
8	GRST	0814	AMTA2110 01	11111	8.00 11.30	1	4	600	210 25 00000
8	GRST	0814	AMTG1010 01	11111	8.00 11.30	1	16	600	210 25 00000
8	GRST	0814	AMTG1020 01	11111	8.00 11.30	1	15	600	210 25 00000
8	GRST	0814	AMTG1030 01	11111	8.00 11.30	1	15	600	210 25 00000
8	GRST	0814	AMTG1040 01	11111	8.00 11.30	1	16	600	210 25 00000
8	GRST	0814	AMTG1050 01	11111	8.00 11.30	1	15	600	210 25 00000
8	GRST	0814	AMTG1060 01	11111	8.00 11.30	1	15	600	210 25 00000
8	GRST	0814	AMTG1070 01	11111	8.00 11.30	1	16	600	210 25 00000
8	GRST	0814	AMTG1080 01	11111	8.00 11.30	1	16	600	210 25 00000
8	GRST	0814	AMTG1090 01	11111	8.00 11.30	1	15	600	210 25 00000
8	GRST	0814	AMTP2220 01	11111	8.00 11.30	1	9	600	210 25 00000
8	GRST	0814	AMTP2240 01	11111	8.00 11.30	1	8	600	210 25 00000
8	GRST	0814	AMTP2250 01	11111	8.00 11.30	1	9	600	210 25 00000
8	GRST	0814	AMTP2270 02	11111	8.00 11.30	1	8	600	210 25 00000
8	GRST	0814	AMTP2280 01	11111	8.00 11.30	1	8	600	210 25 00000
8	GRST	0814	AMTP2290 01	11111	8.00 11.30	1	9	600	210 25 00000
	GRST	0814	GAPC1200 01	11	18.00 19.30		7	600	210 25 00000
	GRST	0814	GAPC1300 01	11	18.00 21.00	1	12	600	210 25 00000
	GRST	0814	GAPC1210 01	11	19.35 21.00	1	7	600	210 25 00000
	GRST	0818	AMTG1010 01	11111	8.00 11.30		16	720	110 15 00000
8	GRST	0818	AMTG1020 01	11111	8.00 11.30	1	15	720	110 15 00000
8	GRST	0818	AMTG1030 01	11111	8.00 11.30	1	15	720	110 15 00000
8	GRST	0818	AMTG1040 01	11111	8.00 11.30	1	16	720	110 15 00000
8	GRST	0818	AMTG1050 01	11111	8.00 11.30	1	15	720	110 15 00000
8	GRST	0818	AMTG1060 01	11111	8.00 11.30	1	15	720	110 15 00000
8	GRST	0818	AMTG1070 01	11111	8.00 11.30	1	16	720	110 15 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
8	GRST	0818	AMTG1080 01	11111	8.00 11.30	1	16	720	110 15 00000	
8	GRST	0818	AMTG1090 01	11111	8.00 11.30	1	15	720	110 15 00000	
	GRST	0818	GAPC1200 01	11	18.00 19.30		7	720	110 15 00000	
	GRST	0818	GAPC1210 01	11	19.35 21.00		7	720	110 15 00000	
	GRST	0820	AMTA2030 01	11111	8.00 11.30		9	720	110 28 00000	
	GRST	0820	AMTA2040 01	11111	8.00 11.30	1	9	720	110 28 00000	
	GRST	0820	AMTA2060 01	11111	8.00 11.30	1	9	720	110 28 00000	
	GRST	0820	AMTA2070 01	11111	8.00 11.30	1	10	720	110 28 00000	
8	GRST	0820	AMTA2080 01	11111	8.00 11.30	1	8	720	110 28 00000	
8	GRST	0820	AMTA2110 01	11111	8.00 11.30	1	4	720	110 28 00000	
	GRST	0820	GAPC1300 01	11	18.00 21.00		12	720	110 28 00000	
	JMSC	0110	CULN1223 02	11111	8.00 8.55		6	400	210 50 00000	
	JMSC	0110	CULN1103 02	11111	12.00 13.55		9	400	210 50 00000	
	JMSC	0110	CULN1172 02	11111	12.00 13.55	1	9	400	210 50 00000	
	JMSC	0116	CULN1223 02	11111	8.00 8.55		6	750	110 35 00000	
	JMSC	0116	CULN1103 02	11111	12.00 13.55		9	750	110 35 00000	
	JMSC	0116	CULN1172 02	11111	12.00 13.55	1	9	750	110 35 00000	
	JMSC	0117	ELEC1230 03	11111	8.00 8.55		5	750	110 35 00000	
	JMSC	0117	ELEC1122 03	11111	9.00 9.55		5	750	110 35 00000	
	JMSC	0117	INST1010 06	11111	12.00 12.55		24	750	110 35 00000	
	JMSC	0117	ELEC1000 03	11111	13.00 13.55		24	750	110 35 00000	
	JMSC	0118	INST1010 30	1 1	8.00 9.30		24	750	110 35 00000	
	JMSC	0118	INST1111 30	1 1 1	9.00 10.30		23	750	110 35 00000	
	JMSC	0118	INST2812 30	1 1	10.00 11.50		15	750	110 35 00000	
	JMSC	0118	INST2722 30	1 1 1	11.00 12.30		11	750	110 35 00000	
	JMSC	0118	ELEC2220 04	1 1	13.00 14.50		22	750	110 35 00000	
	JMSC	0118	ELEC1220 04	1 1	13.00 15.00		8	750	110 35 00000	
4	JMSC	0119	WELD1411 30	11111	7.00 16.00		12	2,124	210 24 00000	
4	JMSC	0119	WELD1420 30	11111	7.00 16.00	1	4	2,124	210 24 00000	
4	JMSC	0119	WELD1510 30	11111	7.00 16.00	1	8	2,124	210 24 00000	
4	JMSC	0119	WELD1514 30	11111	7.00 16.00	1	7	2,124	210 24 00000	
4	JMSC	0119	WELD1515 30	11111	7.00 16.00	1	5	2,124	210 24 00000	
4	8	JMSC	0119	WELD1517 30	11111	7.00 16.00	1	5	2,124	210 24 00000
4	8	JMSC	0119	WELD2230 30	11111	7.00 16.00	1	1	2,124	210 24 00000
	JMSC	0125	INST1010 30	1 1	8.00 9.30		24	750	210 35 00000	
	JMSC	0125	INST1111 30	1 1 1	9.00 10.30		23	750	210 35 00000	
	JMSC	0125	INST2812 30	1 1	10.00 11.50		15	750	210 35 00000	
	JMSC	0125	INST2722 30	1 1 1	11.00 12.30		11	750	210 35 00000	
	JMSC	0125	ELEC2220 04	1 1	13.00 14.50		22	750	210 35 00000	
	JMSC	0125	ELEC1220 04	1 1	13.00 15.00		8	750	210 35 00000	
	JMSC	0126	MATH1100 30	1 1 1	8.00 8.50		24	750	110 35 00000	
	JMSC	0126	MATH0098 30	1 1 1	10.00 10.50		20	750	110 35 00000	
	JMSC	0126	ACCT1110 31	1 1	10.00 11.15		23	750	110 35 00000	
	JMSC	0126	MATH0099 30	1 1 1	11.00 11.50		14	750	110 35 00000	
4	JMSC	0132	WELD1110 30	11111	7.00 16.00		14	2,124	210 25 00000	
4	JMSC	0132	WELD1120 30	11111	7.00 16.00	1	5	2,124	210 25 00000	
4	JMSC	0132	WELD1130 30	11111	7.00 16.00	1	14	2,124	210 25 00000	
4	JMSC	0132	WELD1210 30	11111	7.00 16.00	1	2	2,124	210 25 00000	
4	JMSC	0132	WELD1310 30	11111	7.00 16.00	1	2	2,124	210 25 00000	
4	8	JMSC	0132	WELD1410 30	11111	7.00 16.00	1	13	2,124	210 25 00000
4	8	JMSC	0132	WELD2210 30	11111	7.00 16.00	1	1	2,124	210 25 00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	JMSC 0132	WELD2220 30	11111	7.00 16.00	1	2	2,124	210 25 00000
4	8	JMSC 0132	WELD2221 30	11111	7.00 16.00	1	2	2,124	210 25 00000
4	8	JMSC 0132	WELD2222 30	11111	7.00 16.00	1	2	2,124	210 25 00000
4	8	JMSC 0132	WELD2310 30	11111	7.00 16.00	1	2	2,124	210 25 00000
4	8	JMSC 0132	WELD2311 30	11111	7.00 16.00	1	1	2,124	210 25 00000
4	8	JMSC 0132	WELD2312 30	11111	7.00 16.00	1	1	2,124	210 25 00000
4		JMSC 0138	WELD1110 30	11111	7.00 16.00		14	750	110 35 00000
		JMSC 0138	WELD1110 02	11111	8.00 9.55	1	7	750	110 35 00000
		JMSC 0138	WELD1410 02	11111	8.00 9.55	1	7	750	110 35 00000
4		JMSC 0165	STEC1100 30	1111	8.00 14.30		10	750	210 15 00000
4		JMSC 0165	STEC1150 30	1111	8.00 14.30	1	10	750	210 15 00000
		JMSC 0166	BUSI2300 01	1 1 1	8.00 8.50		22	750	210 35 00000
		JMSC 0166	BUSI2330 30	1 1 1	9.00 9.50		12	750	210 35 00000
		JMSC 0166	BUSI1030 30	1 1	10.00 11.15		20	750	210 35 00000
		JMSC 0166	BUSI1030 31	1 1	10.00 11.15		7	750	210 35 00000
		JMSC 0166	CSSK1010 13	1	13.00 13.50		16	750	210 35 00000
		JMSC 0167	ENGL0098 30	1 1 1	9.00 9.50		20	750	110 35 00000
		JMSC 0167	MATH0098 04	1 1	9.25 10.40		21	750	110 35 00000
		JMSC 0167	ENGL0099 30	1 1 1	10.00 10.50		22	750	110 35 00000
		JMSC 0167	MATH0099 02	1 1	10.50 12.05		20	750	110 35 00000
		JMSC 0167	ENGL1010 28	1	12.15 13.30		24	750	110 35 00000
		JMSC 0168	BUSI1090 30	1 1 1	8.00 8.50		9	750	210 35 00000
		JMSC 0168	ANUR1233 30	1 1	8.30 11.30	1	36	750	210 35 00000
		JMSC 0168	ANUR1240 30	1	8.30 11.30		36	750	210 35 00000
		JMSC 0168	ANUR1040 30	11	8.30 11.30		32	750	210 35 00000
		JMSC 0168	ACCT1110 30	1 1	10.00 11.15	1	1	750	210 35 00000
		JMSC 0168	ANUR1233 30	1	12.15 15.00		36	750	210 35 00000
		JMSC 0168	ANUR1240 30	1	12.15 15.00		36	750	210 35 00000
		JMSC 0168	ANUR1350 30	11	12.30 15.00		36	750	210 35 00000
		JMSC 0169	ZLTC0101 01	1111	9.00 11.00		26	750	110 35 00000
		JMSC 0169	ZLTC0101 02	1111	11.30 13.30		19	750	110 35 00000
		JMSC 0169	ZLTC0101 03	11	16.00 19.00		5	750	110 35 00000
		JMSC 0170	ANUR123A 01	11111	12.00 14.00		10	750	110 35 00000
4		JMSC 0171	STPR1263 30	11	7.00 16.30		14	750	210 35 00000
		JMSC 0171	STPR1041 30	11	8.00 8.50		14	750	210 35 00000
		JMSC 0171	STPR1253 30	11	8.30 11.30	1	14	750	210 35 00000
4		JMSC 0171	STPR1142 30	11	8.30 14.30		14	750	210 35 00000
		JMSC 0171	STPR1143 30	11	9.00 12.00		14	750	210 35 00000
4	8	JMSC 0176	STEC1110 30	111	6.00 14.30		10	165	210 5 00000
4	8	JMSC 0176	STEC1150 30	1111	8.00 14.30	1	10	165	210 5 00000
4		JMSC 0179	STEC1110 30	111	6.00 14.30		10	2,000	210 50 00000
4		JMSC 0179	STEC1150 30	1111	8.00 14.30	1	10	2,000	210 50 00000
		MAGN 0101	CHEM1020 01	1 1	8.00 9.15		10	638	110 32 00000
		MAGN 0101	CHEM2030 01	1 1 1	9.00 9.50		4	638	110 32 00000
9		MAGN 0101	CHEM2030 01	1 1 1	9.00 9.50		4	638	110 32 00000
		MAGN 0101	CHEM1010 03	1 1	9.25 10.40		30	638	110 32 00000
		MAGN 0101	CHEM1010 02	1 1	11.00 11.50		25	638	110 32 00000
		MAGN 0101	CSSK1010 05	1	11.00 11.50		15	638	110 32 00000
		MAGN 0101	CSSK1010 06	1	11.00 11.50		15	638	110 32 00000
		MAGN 0101	CHEM1010 10	1 1	16.30 17.45		31	638	110 32 00000
		MAGN 0103	GART1010 01	1 1	8.00 9.15		22	696	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 9

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MAGN	0103	GART1240 01	1 1	8.00 9.50		20	696	210 20 00000
	MAGN	0103	GART1230 01	1 1 1	9.25 10.40		10	696	210 20 00000
	MAGN	0103	GART1210 01	1 1	10.00 11.50		8	696	210 20 00000
	MAGN	0103	GART1040 01	1 1 1	12.00 13.15		22	696	210 20 00000
	MAGN	0108	CADD1101 01	1 1	7.50 10.45		18	705	210 20 00000
	MAGN	0108	DRFT1101 01	1 1	8.00 8.50		18	705	210 20 00000
	MAGN	0108	DRFT1102 01	1 1	9.00 9.50		18	705	210 20 00000
	MAGN	0108	DRFT1103 01	1 1	10.00 10.50		18	705	210 20 00000
	MAGN	0108	DRFT1104 01	1 1	11.00 11.50		18	705	210 20 00000
	MAGN	0108	DRFT2301 01	1 1	12.00 14.05		5	705	210 20 00000
	MAGN	0108	DRFT1201 01	1 1	13.00 13.50		4	705	210 20 00000
	MAGN	0108	DRFT1205 01	1 1	14.00 14.50		5	705	210 20 00000
	MAGN	0109	CADD1201 01	1 1 1	7.50 9.50		5	686	210 20 00000
	MAGN	0109	DRFT2305 01	1 1	7.50 9.50		10	686	210 20 00000
	MAGN	0109	DRFT2303 01	1 1	10.00 11.55		11	686	210 20 00000
	MAGN	0109	DRFT2404 01	1 1	12.30 14.30		4	686	210 20 00000
	MAGN	0109	DRFT2302 01	1 1	12.30 14.30		11	686	210 20 00000
	MAGN	0110	CADD1101 01	1 1	7.50 10.45		18	704	210 20 00000
	MAGN	0110	DRFT1101 01	1 1	8.00 8.50		18	704	210 20 00000
	MAGN	0110	DRFT1102 01	1 1	9.00 9.50		18	704	210 20 00000
	MAGN	0110	DRFT1103 01	1 1	10.00 10.50		18	704	210 20 00000
	MAGN	0110	DRFT1104 01	1 1	11.00 11.50		18	704	210 20 00000
	MAGN	0110	DRFT2301 01	1 1	12.00 14.05		5	704	210 20 00000
	MAGN	0110	DRFT1201 01	1 1	13.00 13.50		4	704	210 20 00000
	MAGN	0110	DRFT1205 01	1 1	14.00 14.50		5	704	210 20 00000
8	MAGN	0111	BIOL1010 01	1 1 1	8.00 8.50		31	1,189	210 20 00000
	MAGN	0111	BIOL1020 01	1 1	8.00 9.15		29	1,189	210 20 00000
	MAGN	0111	BIOL1010 04	1 1 1	9.00 9.50		24	1,189	210 20 00000
	MAGN	0111	BIOL1010 06	1 1	9.25 10.40		29	1,189	210 20 00000
	MAGN	0111	BIOL1020 02	1 1 1	10.00 10.50		27	1,189	210 20 00000
8	MAGN	0111	BIOL1010 02	1 1	12.00 13.15		31	1,189	210 20 00000
8	MAGN	0111	BIOL1010 03	1 1	12.15 13.30		32	1,189	210 20 00000
	MAGN	0114	CHEM1011 03	1	10.50 13.20		19	1,160	210 23 00000
	MAGN	0114	CHEM1011 02	1	12.00 14.30		18	1,160	210 23 00000
	MAGN	0114	CHEM1011 01	1	12.30 15.00		16	1,160	210 23 00000
	MAGN	0114	CHEM1021 01	1	13.30 16.00		7	1,160	210 23 00000
	MAGN	0114	CHEM1011 21	1	17.50 20.20		15	1,160	210 23 00000
	MAGN	0114	CHEM1011 22	1	17.50 20.20		17	1,160	210 23 00000
	MAGN	0300	GART2260 01			1	1	2,507	210 20 00000
	MAGN	0300	GART1015 01	1 1	8.00 9.15	1	12	2,507	210 20 00000
	MAGN	0300	GART2500 01	1	8.00 9.50		4	2,507	210 20 00000
	MAGN	0300	GART1035 01	1 1 1	9.25 10.40		13	2,507	210 20 00000
	MAGN	0300	GART2230 01	1 1	10.00 11.50		5	2,507	210 20 00000
	MAGN	0300	GART2110 01	1 1	12.45 14.35		17	2,507	210 20 00000
	MAGN	0302	GART1220 01	1 1 1	8.00 9.15		12	2,725	210 24 00000
	MAGN	0302	GART1030 01	1 1	8.00 9.50		22	2,725	210 24 00000
	MAGN	0302	GART1020 01	1 1 1	9.25 10.40		22	2,725	210 24 00000
	MAGN	0302	GART2210 01	1 1	10.00 11.50		13	2,725	210 24 00000
	MAGN	0302	GART2130 01	1 1 1	12.00 13.05		5	2,725	210 24 00000
	MAGN	0302	GART2250 01	1 1	12.45 14.35		6	2,725	210 24 00000
	MAGN	0311	GART1030 01	1 1	8.00 9.50		22	1,723	210 30 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MAGN	0311	GART2240 01	1 1	8.00 9.50	1	5	1,723	210 30 00000
	MAGN	0311	GART2110 01	1 1	12.45 14.35		17	1,723	210 30 00000
4	NAAH	0106	ANUR2312 01	11	6.30 17.00		17	704	110 32 00000
	NAAH	0106	ANUR2310 01	11	8.15 10.45		17	704	110 32 00000
	NAAH	0106	ANUR2243 01	11	11.30 13.00		19	704	110 32 00000
	NAAH	0106	ANUR2340 01	1	13.30 15.00		18	704	110 32 00000
	NAAH	0106	ANUR2353 01	1	13.30 15.00		19	704	110 32 00000
	NAAH	0107	NURS1100 01	11	8.30 10.30		42	1,328	110 62 00000
	NAAH	0108	BIOL2261 02	1	9.00 11.50		18	1,328	110 62 00000
	NAAH	0108	BIOL2261 01	1 1	9.00 11.50		16	1,328	110 62 00000
	NAAH	0108	BIOL2261 03	1	9.25 12.05		21	1,328	110 62 00000
	NAAH	0109A	CSSK1010 01	1	9.00 9.50		14	672	110 32 00000
	NAAH	0109A	CSSK1010 02	1	10.00 10.50		13	672	110 32 00000
	NAAH	0109A	CSSK1010 03	1	11.00 11.50		12	672	110 32 00000
	NAAH	0109A	CSSK1010 04	1	12.00 12.50		15	672	110 32 00000
	NAAH	0109A	CSSK1010 12	1	13.00 13.50		15	672	110 32 00000
4 8	NAAH	0111A	ANUR2212 01	11	5.30 16.00		22	203	210 2 00000
4 8	NAAH	0111A	ANUR2312 01	11	6.30 17.00	1	17	203	210 2 00000
8	NAAH	0111A	ANUR2210 01	11	8.00 10.20		22	203	210 2 00000
4 8	NAAH	0111A	NURS1110 01	11	8.00 14.30	1	42	203	210 2 00000
4 8	NAAH	0111A	NURS2310 01	11	8.00 14.30	1	35	203	210 2 00000
8	NAAH	0111A	ANUR2310 01	11	8.15 10.45	1	17	203	210 2 00000
8	NAAH	0111A	ANUR1233 01	1 1	8.30 11.30		32	203	210 2 00000
8	NAAH	0111A	ANUR1240 01	1	8.30 11.30		38	203	210 2 00000
8	NAAH	0111A	ANUR1040 01	11	8.30 11.30		40	203	210 2 00000
8	NAAH	0111A	ANUR2230 01	11	10.30 11.50	1	19	203	210 2 00000
8	NAAH	0111A	ANUR2243 01	11	11.30 13.00	1	19	203	210 2 00000
8	NAAH	0111A	ANUR1233 01	1	12.15 15.00		32	203	210 2 00000
8	NAAH	0111A	ANUR1240 01	1	12.15 15.00		38	203	210 2 00000
8	NAAH	0111A	ANUR1350 01	11	12.30 15.00		39	203	210 2 00000
8	NAAH	0111A	ANUR2223 01	1	12.30 15.00	1	8	203	210 2 00000
8	NAAH	0111A	ANUR2340 01	1	13.30 15.00	1	18	203	210 2 00000
4 8	NAAH	0111B	ANUR2212 01	11	5.30 16.00		22	240	210 10 00000
4 8	NAAH	0111B	ANUR2312 01	11	6.30 17.00	1	17	240	210 10 00000
8	NAAH	0111B	ANUR2210 01	11	8.00 10.20		22	240	210 10 00000
4 8	NAAH	0111B	NURS1110 01	11	8.00 14.30	1	42	240	210 10 00000
4 8	NAAH	0111B	NURS2310 01	11	8.00 14.30	1	35	240	210 10 00000
8	NAAH	0111B	ANUR2310 01	11	8.15 10.45	1	17	240	210 10 00000
8	NAAH	0111B	ANUR1233 01	1 1	8.30 11.30		32	240	210 10 00000
8	NAAH	0111B	ANUR1240 01	1	8.30 11.30		38	240	210 10 00000
8	NAAH	0111B	ANUR1040 01	11	8.30 11.30		40	240	210 10 00000
8	NAAH	0111B	ANUR2230 01	11	10.30 11.50	1	19	240	210 10 00000
8	NAAH	0111B	ANUR2243 01	11	11.30 13.00	1	19	240	210 10 00000
8	NAAH	0111B	ANUR1233 01	1	12.15 15.00		32	240	210 10 00000
8	NAAH	0111B	ANUR1240 01	1	12.15 15.00		38	240	210 10 00000
8	NAAH	0111B	ANUR1350 01	11	12.30 15.00		39	240	210 10 00000
8	NAAH	0111B	ANUR2223 01	1	12.30 15.00	1	8	240	210 10 00000
8	NAAH	0111B	ANUR2340 01	1	13.30 15.00	1	18	240	210 10 00000
4 8	NAAH	0111C	ANUR2212 01	11	5.30 16.00		22	216	210 10 00000
4 8	NAAH	0111C	ANUR2312 01	11	6.30 17.00	1	17	216	210 10 00000
8	NAAH	0111C	ANUR2210 01	11	8.00 10.20		22	216	210 10 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 11

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	NAAH 0111C	NURS1110 01	11	8.00 14.30	1	42	216	210 10 00000
4	8	NAAH 0111C	NURS2310 01	11	8.00 14.30	1	35	216	210 10 00000
	8	NAAH 0111C	ANUR2310 01	11	8.15 10.45	1	17	216	210 10 00000
	8	NAAH 0111C	ANUR1233 01	1 1	8.30 11.30		32	216	210 10 00000
	8	NAAH 0111C	ANUR1240 01	1	8.30 11.30		38	216	210 10 00000
	8	NAAH 0111C	ANUR1040 01	11	8.30 11.30		40	216	210 10 00000
	8	NAAH 0111C	ANUR2230 01	11	10.30 11.50	1	19	216	210 10 00000
	8	NAAH 0111C	ANUR2243 01	11	11.30 13.00	1	19	216	210 10 00000
	8	NAAH 0111C	ANUR1233 01	1	12.15 15.00		32	216	210 10 00000
	8	NAAH 0111C	ANUR1240 01	1	12.15 15.00		38	216	210 10 00000
	8	NAAH 0111C	ANUR1350 01	11	12.30 15.00		39	216	210 10 00000
	8	NAAH 0111C	ANUR2223 01	1	12.30 15.00	1	8	216	210 10 00000
	8	NAAH 0111C	ANUR2340 01	1	13.30 15.00	1	18	216	210 10 00000
4	8	NAAH 0111D	ANUR2212 01	11	5.30 16.00		22	250	210 12 00000
4	8	NAAH 0111D	ANUR2312 01	11	6.30 17.00	1	17	250	210 12 00000
	8	NAAH 0111D	ANUR2210 01	11	8.00 10.20		22	250	210 12 00000
	8	NAAH 0111D	NURS1110 01	11	8.00 14.30	1	42	250	210 12 00000
4	8	NAAH 0111D	NURS2310 01	11	8.00 14.30	1	35	250	210 12 00000
	8	NAAH 0111D	ANUR2310 01	11	8.15 10.45	1	17	250	210 12 00000
	8	NAAH 0111D	ANUR1233 01	1 1	8.30 11.30		32	250	210 12 00000
	8	NAAH 0111D	ANUR1240 01	1	8.30 11.30		38	250	210 12 00000
	8	NAAH 0111D	ANUR1040 01	11	8.30 11.30		40	250	210 12 00000
	8	NAAH 0111D	ANUR2230 01	11	10.30 11.50	1	19	250	210 12 00000
	8	NAAH 0111D	ANUR2243 01	11	11.30 13.00	1	19	250	210 12 00000
	8	NAAH 0111D	ANUR1233 01	1	12.15 15.00		32	250	210 12 00000
	8	NAAH 0111D	ANUR1240 01	1	12.15 15.00		38	250	210 12 00000
	8	NAAH 0111D	ANUR1350 01	11	12.30 15.00		39	250	210 12 00000
	8	NAAH 0111D	ANUR2223 01	1	12.30 15.00	1	8	250	210 12 00000
	8	NAAH 0111D	ANUR2340 01	1	13.30 15.00	1	18	250	210 12 00000
4		NAAH 0112	NURS1110 01	11	8.00 14.30		42	693	110 32 00000
4	8	NAAH 0112	NURS2310 01	11	8.00 14.30	1	35	693	110 32 00000
4	8	NAAH 0113	NURS1110 01	11	8.00 14.30		42	1,200	210 24 00000
4		NAAH 0114	ANUR2212 01	11	5.30 16.00		22	1,200	210 24 00000
4	8	NAAH 0114	ANUR2312 01	11	6.30 17.00	1	17	1,200	210 24 00000
		NAAH 0114	ANUR2210 01	11	8.00 10.20		22	1,200	210 24 00000
4	8	NAAH 0114	NURS1110 01	11	8.00 14.30	1	42	1,200	210 24 00000
	8	NAAH 0114	ANUR2310 01	11	8.15 10.45	1	17	1,200	210 24 00000
		NAAH 0114	ANUR1233 01	1 1	8.30 11.30		32	1,200	210 24 00000
	8	NAAH 0114	ANUR1240 01	1	8.30 11.30		38	1,200	210 24 00000
	8	NAAH 0114	ANUR1040 01	11	8.30 11.30		40	1,200	210 24 00000
		NAAH 0114	ANUR2243 01	11	11.30 13.00		19	1,200	210 24 00000
		NAAH 0114	ANUR1233 01	1	12.15 15.00		32	1,200	210 24 00000
	8	NAAH 0114	ANUR1240 01	1	12.15 15.00		38	1,200	210 24 00000
	8	NAAH 0114	ANUR1350 01	11	12.30 15.00		39	1,200	210 24 00000
	8	NAAH 0114	ANUR2223 01	1	12.30 15.00	1	8	1,200	210 24 00000
		NAAH 0201	ANUR2210 01	11	8.00 10.20		22	2,142	110 68 00000
		NAAH 0201	ANUR2230 01	11	10.30 11.50		19	2,142	110 68 00000
		NAAH 0201	ANUR2223 01	1	12.30 15.00		8	2,142	110 68 00000
		NAAH 0201	ANUR2323 01	1	12.30 15.00		12	2,142	110 68 00000
		NAAH 0203	ANUR2310 01	11	8.15 10.45		17	1,407	110 54 00000
		NAAH 0203	ANUR2243 01	11	11.30 13.00		19	1,407	110 54 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 12

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	NAAH	0203	ANUR2340 01	1	13.30 15.00		18	110 54	00000
	NAAH	0203	ANUR2353 01	1	13.30 15.00		19	110 54	00000
	NAAH	0204	NURS2300 01	11	8.30 11.00		35	110 54	00000
	NAAH	0205	BIOL2251 05	1	9.00 11.50		16	210 32	00000
	NAAH	0205	BIOL2251 08	1	9.00 11.50		18	210 32	00000
	NAAH	0205	BIOL2101 01	1	9.00 11.50		21	210 32	00000
	NAAH	0205	BIOL2251 03	1	9.25 12.10		25	210 32	00000
	NAAH	0205	BIOL2251 01	1	12.00 14.50		25	210 32	00000
	NAAH	0205	BIOL2251 02	1	13.00 16.00		25	210 32	00000
	NAAH	0205	BIOL2251 04	1	14.00 16.50		24	210 32	00000
4	NAAH	0208	ANUR2212 01	11	5.30 16.00		22	240 54	00000
4	NAAH	0208	ANUR2312 01	11	6.30 17.00	1	17	240 54	00000
	NAAH	0208	ANUR2210 01	11	8.00 10.20		22	240 54	00000
	NAAH	0208	ANUR2310 01	11	8.15 10.45	1	17	240 54	00000
	NAAH	0208	ANUR1233 01	1 1	8.30 11.30		32	240 54	00000
	NAAH	0208	ANUR1240 01	1	8.30 11.30		38	240 54	00000
	NAAH	0208	ANUR1040 01	11	8.30 11.30		40	240 54	00000
	NAAH	0208	ANUR2230 01	11	10.30 11.50	1	19	240 54	00000
	NAAH	0208	ANUR2243 01	11	11.30 13.00	1	19	240 54	00000
	NAAH	0208	ANUR1233 01	1	12.15 15.00		32	240 54	00000
	NAAH	0208	ANUR1240 01	1	12.15 15.00		38	240 54	00000
	NAAH	0208	ANUR1350 01	11	12.30 15.00		39	240 54	00000
	NAAH	0208	ANUR2223 01	1	12.30 15.00	1	8	240 54	00000
	NAAH	0208	ANUR2323 01	1	12.30 15.00		12	240 54	00000
	NAAH	0208	ANUR2340 01	1	13.30 15.00		18	240 54	00000
	NAAH	0208	ANUR2353 01	1	13.30 15.00		19	240 54	00000
4	NAAH	0505	ZCPR0101 01	1	9.00 16.30	1	15	240 54	00000
	OAKD	1031	BUSI1030100	1 1	12.00 13.15		16	210 11	00000
	OAKD	1031	ACCT1110100	1 1	13.20 14.35		12	210 11	00000
	OAKD	1031	MATH1100100	1 1	17.00 18.15		12	210 11	00000
4	OAKD	1060	ANUR2312100	11	6.30 17.00		9	210 30	00000
	OAKD	1060	ANUR2310100	11	8.15 10.45		9	210 30	00000
	OAKD	1060	ANUR2243100	11	11.30 13.00		9	210 30	00000
	OAKD	1060	ANUR2340100	1	13.30 15.00		9	210 30	00000
4	OAKD	1060	ANUR2353100	1	13.30 15.00		9	210 30	00000
	OAKD	1061	ANUR2312100	11	6.30 17.00		9	210 20	00000
	OAKD	1061	ANUR2310100	11	8.15 10.45		9	210 20	00000
	OAKD	1061	ANUR2243100	11	11.30 13.00		9	210 20	00000
	OAKD	1061	ANUR2340100	1	13.30 15.00		9	210 20	00000
	OAKD	1061	ANUR2353100	1	13.30 15.00		9	210 20	00000
	OAKD	1070	INST2722 03	1 1	8.00 10.05		5	110 30	00000
	OAKD	1070	INST1112 03	1 1 1	9.00 10.20		7	110 30	00000
	OAKD	1070	ELEC1220 05	1 1 1	10.30 11.50		4	110 30	00000
	OAKD	1070	INST1410 03	1 1	10.30 12.35		15	110 30	00000
	OAKD	1070	INST1111 03	1 1 1	13.00 14.20		12	110 30	00000
	OAKD	1070	INST1310 03	1 1	13.30 15.35		15	110 30	00000
	OAKD	1070	INST1010 05	1 1 1	14.30 15.20		15	110 30	00000
4	OAKD	1080	WELD1420100	11111	7.00 16.00		2	210 25	00000
4	OAKD	1080	WELD1514100	11111	7.00 16.00	1	7	210 25	00000
4	OAKD	1080	WELD1515100	11111	7.00 16.00	1	3	210 25	00000
4	OAKD	1080	WELD1516100	11111	7.00 16.00	1	5	210 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 13

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	OAKD 1080	WELD1517100	11111	7.00 16.00	1	7	1,753	210 25	00000
4	OAKD 1080	WELD2110100	11111	7.00 16.00	1	4	1,753	210 25	00000
4	OAKD 1080	WELD2111100	11111	7.00 16.00	1	2	1,753	210 25	00000
4	OAKD 1080	WELD2230100	11111	7.00 16.00	1	4	1,753	210 25	00000
4	OAKD 1080	WELD2312100	11111	7.00 16.00	1	4	1,753	210 25	00000
4	OAKD 1083	WELD1110100	11111	7.00 16.00		28	303	110 20	00000
4	8 OAKD 1083	WELD1120100	11111	7.00 16.00	1	24	303	110 20	00000
4	8 OAKD 1083	WELD1130100	11111	7.00 16.00	1	25	303	110 20	00000
4	8 OAKD 1083	WELD1210100	11111	7.00 16.00	1	27	303	110 20	00000
4	8 OAKD 1083	WELD1310100	11111	7.00 16.00	1	27	303	110 20	00000
4	8 OAKD 1083	WELD1410100	11111	7.00 16.00	1	28	303	110 20	00000
4	8 OAKD 1083	WELD1411100	11111	7.00 16.00	1	5	303	110 20	00000
4	8 OAKD 1083	WELD2210100	11111	7.00 16.00	1	3	303	110 20	00000
4	8 OAKD 1083	WELD2220100	11111	7.00 16.00	1	2	303	110 20	00000
4	8 OAKD 1083	WELD2221100	11111	7.00 16.00	1	1	303	110 20	00000
4	8 OAKD 1083	WELD2222100	11111	7.00 16.00	1	2	303	110 20	00000
4	8 OAKD 1083	WELD2310100	11111	7.00 16.00	1	4	303	110 20	00000
4	8 OAKD 1083	WELD2311100	11111	7.00 16.00	1	2	303	110 20	00000
	OAKD 1090	ELEC1220 05	1 1 1	10.30 11.50		4	1,080	210 30	00000
	OAKD 1090	INST1010 05	1 1 1	14.30 15.20		15	1,080	210 30	00000
	OAKD 1093	FRTY2720101	1	9.00 9.50		9	475	210 25	00000
	OAKD 1093	FRTY2720101	1	9.00 10.50		9	475	210 25	00000
	OAKD 1093	FRTY2710101	1	9.00 11.30		6	475	210 25	00000
	OAKD 1093	FRTY1330101	1	9.50 10.50		9	475	210 25	00000
	OAKD 1093	FRTY2410101	1	11.00 11.50		3	475	210 25	00000
	OAKD 1093	FRTY2410101	1	13.00 14.50		3	475	210 25	00000
	OAKD 1093	FRTY1330101	1	13.00 16.00		9	475	210 25	00000
	OAKD 1093	FRTY2710101	1	13.00 16.30		6	475	210 25	00000
	OAKD 1130	ANUR2310100	11	8.15 10.45		9	1,270	210 30	00000
	OAKD 1130	ANUR2243100	11	11.30 13.00		9	1,270	210 30	00000
	OAKD 1130	ANUR2340100	1	13.30 15.00		9	1,270	210 30	00000
	OAKD 1130	ANUR2353100	1	13.30 15.00		9	1,270	210 30	00000
	OAKD 1140	ENGL0098 30	1 1 1	9.00 9.50		20	610	110 30	00000
	OAKD 1140	MATH0098 04	1 1	9.25 10.40		21	610	110 30	00000
	OAKD 1140	ENGL0099 30	1 1 1	10.00 10.50		22	610	110 30	00000
	OAKD 1140	MATH0099 02	1 1	10.50 12.05		20	610	110 30	00000
	OAKD 1141	ZLTC0101 01	111	8.00 11.00		20	614	115 15	00000
	OAKD 1141	ZLTC0101 02	111	11.30 14.30		18	614	115 15	00000
	OAKD 1141	CSSK1010 17	1	15.00 15.50		10	614	115 15	00000
	OAKD 1141	ZLTC0101 03	1 1	16.00 19.00		9	614	115 15	00000
	OAKD 1142	ZLTC0101 01	111	8.00 11.00		20	500	110 30	00000
	OAKD 1142	ZLTC0101 02	111	11.30 14.30		18	500	110 30	00000
	OAKD 1142	ZLTC0101 03	1 1	16.00 19.00		9	500	110 30	00000
	PELI 0102	ZCDL0101 01	1111	18.00 23.00	1	7	441	110 34	00000
4	8 PELI 0103	WELD1110 01	11111	7.00 16.00		17	340	210 10	00000
4	8 PELI 0103	WELD1120 01	11111	7.00 16.00	1	13	340	210 10	00000
4	8 PELI 0103	WELD1130 01	11111	7.00 16.00	1	14	340	210 10	00000
4	8 PELI 0103	WELD1210 01	11111	7.00 16.00	1	13	340	210 10	00000
4	8 PELI 0103	WELD1310 01	11111	7.00 16.00	1	14	340	210 10	00000
4	8 PELI 0103	WELD1410 01	11111	7.00 16.00	1	14	340	210 10	00000
4	8 PELI 0103	WELD1411 01	11111	7.00 16.00	1	15	340	210 10	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 14

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	PELI 0103	WELD2230 01	11111	7.00 16.00	1	6	340	210 10 00000
4		PELI 0104	WELD2210 01	11111	7.00 16.00		9	530	210 20 00000
4		PELI 0104	WELD2220 01	11111	7.00 16.00	1	7	530	210 20 00000
4		PELI 0104	WELD2221 01	11111	7.00 16.00	1	5	530	210 20 00000
4		PELI 0104	WELD2222 01	11111	7.00 16.00	1	5	530	210 20 00000
4		PELI 0105	ZMCH0101 02	1111	10.00 20.00		6	3,915	210 15 00000
4		PELI 0106	WELD1420 01	11111	7.00 16.00		8	4,186	210 36 00000
4		PELI 0106	WELD1510 01	11111	7.00 16.00	1	7	4,186	210 36 00000
4		PELI 0106	WELD1514 01	11111	7.00 16.00	1	8	4,186	210 36 00000
4		PELI 0106	WELD1515 01	11111	7.00 16.00	1	5	4,186	210 36 00000
4		PELI 0106	WELD1516 01	11111	7.00 16.00	1	7	4,186	210 36 00000
4		PELI 0106	WELD1517 01	11111	7.00 16.00	1	9	4,186	210 36 00000
4		PELI 0111	ZMCH0101 02	1111	10.00 20.00		6	433	110 29 00000
		PTEC 0101	PTEC2430 01	1 1	7.40 8.30		20	1,776	210 30 00000
		PTEC 0101	PTEC2911 02	1 1	8.00 12.00		14	1,776	210 30 00000
		PTEC 0101	PTEC2431 01	1 1 1	8.35 9.40		19	1,776	210 30 00000
		PTEC 0101	PTEC2911 01	1 1 1	9.45 12.25		9	1,776	210 30 00000
		PTEC 0101	PTEC2430 02	1 1	12.05 12.55		17	1,776	210 30 00000
		PTEC 0101	PTEC2431 02	1 1	13.00 14.40		18	1,776	210 30 00000
		PTEC 0101	PTEC2430 03	111	16.30 17.05		13	1,776	210 30 00000
		PTEC 0101	PTEC2431 03	111	17.10 18.20		13	1,776	210 30 00000
		PTEC 0101	PTEC2911 03	111	18.25 21.05		14	1,776	210 30 00000
		PTEC 0102	PTEC2421 01	1 1	8.00 8.50		14	590	210 30 00000
		PTEC 0102	PTEC2420 02	1 1	8.00 9.15		13	590	210 30 00000
		PTEC 0102	PTEC2911 02	1 1	8.00 12.00	1	14	590	210 30 00000
		PTEC 0102	PTEC2420 01	1 1 1	9.00 9.50		14	590	210 30 00000
		PTEC 0102	PTEC2421 02	1 1	9.25 10.15		12	590	210 30 00000
		PTEC 0102	PTEC2911 01	1 1 1	9.45 12.25		9	590	210 30 00000
		PTEC 0102	PTEC2420 03	1 1	10.50 12.05		12	590	210 30 00000
		PTEC 0102	PTEC2421 03	1 1	12.15 13.05		12	590	210 30 00000
		PTEC 0102	PTEC2420 04	1 1	14.00 15.15		11	590	210 30 00000
		PTEC 0102	PTEC2421 04	1 1	15.20 16.10		11	590	210 30 00000
		PTEC 0102	PTEC2911 03	111	18.25 21.05		14	590	210 30 00000
		PTEC 0103	PTEC2912 01	1111	6.00 7.00		13	590	240 30 00000
		PTEC 0104	PTEC2430 01	1 1	7.40 8.30		20	590	210 30 00000
		PTEC 0104	PTEC2431 01	1 1 1	8.35 9.40		19	590	210 30 00000
		PTEC 0104	PTEC1010 06	1 1	9.25 10.40		24	590	210 30 00000
		PTEC 0104	PTEC2620 01	1 1	11.00 12.15		15	590	210 30 00000
		PTEC 0104	PTEC2430 02	1 1	12.05 12.55		17	590	210 30 00000
		PTEC 0104	PTEC2621 01	1 1	12.20 13.10		15	590	210 30 00000
		PTEC 0104	PTEC2431 02	1 1	13.00 14.40		18	590	210 30 00000
		PTEC 0104	PTEC2440 02	1 1	13.15 14.55		14	590	210 30 00000
		PTEC 0104	PTEC2430 03	111	16.30 17.05		13	590	210 30 00000
		PTEC 0104	PTEC2431 03	111	17.10 18.20		13	590	210 30 00000
		PTEC 0106	PTEC2421 01	1 1	8.00 8.50		14	590	210 30 00000
		PTEC 0106	PTEC1630 02	1 1	8.00 8.50		17	590	210 30 00000
		PTEC 0106	PTEC2420 01	1 1 1	9.00 9.50		14	590	210 30 00000
		PTEC 0106	PTEC1631 02	1 1	9.00 10.40		18	590	210 30 00000
		PTEC 0106	PTEC1630 01	1 1	11.00 11.50		15	590	210 30 00000
		PTEC 0106	PTEC1631 03	1 1 1	11.55 13.00		17	590	210 30 00000
		PTEC 0106	PTEC2620 03	1 1	12.15 13.30		10	590	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 15

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC 0106	PTEC2621 03	1 1	13.40 14.55		7	590	210 30	00000
	PTEC 0106	PTEC2420 04	1 1	14.00 15.15		11	590	210 30	00000
	PTEC 0106	PTEC2421 04	1 1	15.20 16.10		11	590	210 30	00000
	PTEC 0106	PTEC2070 03	1 1	17.00 18.15		10	590	210 30	00000
	PTEC 0107	PTEC2630 03	1 1 1	8.00 8.50		8	590	210 30	00000
	PTEC 0107	PTEC2030 01	1 1 1	9.00 9.50		23	590	210 30	00000
	PTEC 0107	PTEC2630 01	1 1	9.25 10.40		19	590	210 30	00000
	PTEC 0107	PTEC1010 01	1 1 1	10.00 10.50		26	590	210 30	00000
	PTEC 0107	PTEC2420 03	1 1	10.50 12.05		12	590	210 30	00000
	PTEC 0107	PTEC1010 03	1 1 1	11.00 11.50		24	590	210 30	00000
	PTEC 0107	PTEC2421 03	1 1	12.15 13.05		12	590	210 30	00000
	PTEC 0107	PTEC2030 02	1 1	13.30 14.45		24	590	210 30	00000
	PTEC 0107	PTEC1010 02	1 1	13.40 14.55		24	590	210 30	00000
	PTEC 0107	PTEC2030 04	1 1	15.05 16.20		19	590	210 30	00000
	PTEC 0107	PTEC1630 03	1 1	17.00 17.50		14	590	210 30	00000
	PTEC 0107	PTEC2030 05	1 1	17.00 18.15		21	590	210 30	00000
	PTEC 0107	PTEC1631 05	1 1	17.55 19.35		18	590	210 30	00000
	PTEC 0107	PTEC1010 05	1 1	18.30 19.50		16	590	210 30	00000
	PTEC 0108	PTEC1630 04	1 1	8.00 8.50		11	590	210 30	00000
	PTEC 0108	PTEC1630 02	1 1	8.00 8.50		17	590	210 30	00000
	PTEC 0108	PTEC2911 02	1 1	8.00 12.00	1	14	590	210 30	00000
	PTEC 0108	PTEC1631 01	1 1 1	9.00 10.05		12	590	210 30	00000
	PTEC 0108	PTEC1631 02	1 1	9.00 10.40		18	590	210 30	00000
	PTEC 0108	PTEC2911 01	1 1 1	9.45 12.25		9	590	210 30	00000
	PTEC 0108	PTEC1630 01	1 1	11.00 11.50	1	15	590	210 30	00000
	PTEC 0108	PTEC1631 03	1 1 1	11.55 13.00		17	590	210 30	00000
	PTEC 0108	PTEC1630 03	1 1	17.00 17.50		14	590	210 30	00000
	PTEC 0108	PTEC1631 05	1 1	17.55 19.35		18	590	210 30	00000
	PTEC 0108	PTEC2911 03	1 1 1	18.25 21.05	1	14	590	210 30	00000
	PTEC 0124	PTEC1630 04	1 1	8.00 8.50		11	610	210 30	00000
	PTEC 0124	PTEC2420 02	1 1	8.00 9.15		13	610	210 30	00000
	PTEC 0124	PTEC1631 01	1 1 1	9.00 10.05		12	610	210 30	00000
	PTEC 0124	PTEC2421 02	1 1	9.25 10.15		12	610	210 30	00000
	PTEC 0124	PTEC2070 01	1 1	10.50 12.05		12	610	210 30	00000
	PTEC 0124	PTEC2440 01	1 1 1	12.00 13.05		6	610	210 30	00000
	PTEC 0124	PTEC1010 07	1 1 1	14.00 14.50		22	610	210 30	00000
	PTEC 0124	PTEC2440 03	1 1	14.45 16.25		28	610	210 30	00000
	PTEC 0124	PTEC2630 02	1 1	15.45 17.00		13	610	210 30	00000
	PTEC 0124	PTEC2620 02	1 1	17.00 18.15		8	610	210 30	00000
	PTEC 0124	PTEC2621 02	1 1	18.20 19.10		9	610	210 30	00000
	PTEC 0125	PTEC1330 04	1 1	8.00 8.50		9	610	210 30	00000
	PTEC 0125	PTEC1331 04	1 1	9.00 10.40		8	610	210 30	00000
	PTEC 0125	PTEC1330 02	1 1	10.50 11.40		18	610	210 30	00000
	PTEC 0125	PTEC1330 01	1 1	11.00 11.50		2	610	210 30	00000
	PTEC 0125	PTEC1331 02	1 1	11.50 13.30		18	610	210 30	00000
	PTEC 0125	PTEC1331 05	1 1	12.00 13.40		4	610	210 30	00000
	PTEC 0125	PTEC1330 03	1 1	14.00 14.50		4	610	210 30	00000
	PTEC 0125	PTEC1331 03	1 1	15.00 16.40		5	610	210 30	00000
	PTEC 0125	PTEC1330 05	1 1	17.00 17.50		13	610	210 30	00000
	PTEC 0125	PTEC1331 01	1 1	18.00 19.40		12	610	210 30	00000
	PTEC 0128	PTEC2911 01	1 1 1	9.45 12.25		9	165	210 7	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 16

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC 0140	PTEC2430 01	1 1	7.40 8.30		20	825	210 50	00000
	PTEC 0140	PTEC2911 02	1 1	8.00 12.00		14	825	210 50	00000
	PTEC 0140	PTEC2911 01	1 1 1	9.45 12.25		9	825	210 50	00000
	PTEC 0140	PTEC2430 02	1 1	12.05 12.55		17	825	210 50	00000
	PTEC 0140	PTEC2420 04	1 1	14.00 15.15		11	825	210 50	00000
	PTEC 0140	PTEC2430 03	111	16.30 17.05		13	825	210 50	00000
	PTEC 0140	PTEC2911 03	111	18.25 21.05		14	825	210 50	00000
	RAAH 0102	ENGL0099 15	1 1	9.25 10.40		17	756	110 32	00000
	RAAH 0102	ENGL1010 15	1 1	9.25 10.40	1	7	756	110 32	00000
	RAAH 0102	ENGL0099 15	1 1 1	10.00 10.50		17	756	110 32	00000
	RAAH 0102	ENGL1010 15	1 1 1	10.00 10.50	1	7	756	110 32	00000
	RAAH 0102	ENGL1020 02	1 1	10.50 12.05		20	756	110 32	00000
	RAAH 0102	ENGL2410 01	1 1 1	11.00 11.50		15	756	110 32	00000
	RAAH 0102	ENGL1020 01	1 1	12.00 13.15		24	756	110 32	00000
	RAAH 0102	CSSK1010 15	1	12.15 13.05		13	756	110 32	00000
	RAAH 0102	CSSK1010 16	1	12.15 13.05		12	756	110 32	00000
	RAAH 0102	MATH0099 12	1 1	16.30 17.45		24	756	110 32	00000
	RAAH 0102	MATH0098 15	1 1	17.50 19.05		19	756	110 32	00000
	RAAH 0114	BIOL2253 01	1 1 1	10.00 10.50		48	1,181	110 36	00000
	RAAH 0114	BIOL2253 03	1 1	10.50 12.05		43	1,181	110 36	00000
	RAAH 0114	BIOL2253 02	1 1 1	11.00 11.50		50	1,181	110 36	00000
	RAAH 0114	BIOL2263 02	1 1	12.15 13.30		29	1,181	110 36	00000
	RAAH 0114	BIOL2263 01	1 1	13.00 14.15		28	1,181	110 36	00000
	RAAH 0114	GAEC2300 01	1 1	18.00 21.00		13	1,181	110 36	00000
	RAAH 0124	ENGL0099 08	1 1	8.00 9.15		28	799	110 32	00000
	RAAH 0124	ENGL1010 01	1 1 1	9.00 9.50		29	799	110 32	00000
	RAAH 0124	ENGL0099 07	1 1	9.25 10.40		29	799	110 32	00000
	RAAH 0124	ENGL0099 01	1 1 1	10.00 10.50		23	799	110 32	00000
	RAAH 0124	ENGL0099 02	1 1	10.50 12.05		28	799	110 32	00000
	RAAH 0124	GAEC2200 01	1 1	18.00 21.00		7	799	110 32	00000
	RAAH 0125	ENGL0099 17	1 1 1	9.00 9.50		11	759	110 32	00000
	RAAH 0125	ENGL1010 17	1 1 1	9.00 9.50	1	11	759	110 32	00000
	RAAH 0125	ENGL0099 17	1 1	9.25 10.40		11	759	110 32	00000
	RAAH 0125	ENGL1010 17	1 1	9.25 10.40	1	11	759	110 32	00000
	RAAH 0125	THEA1013 02	1 1 1	10.00 10.50		25	759	110 32	00000
	RAAH 0125	THEA1013 03	1 1 1	11.00 11.50		23	759	110 32	00000
	RAAH 0125	GAEC1200 01	1 1	18.00 19.30		15	759	110 32	00000
	RAAH 0125	GAEC1210 01	1 1	19.35 21.00		15	759	110 32	00000
	RAAH 0126	PSYC2010 07	1	8.00 8.50		24	763	110 32	00000
	RAAH 0126	THEA1013 01	1 1 1	9.00 9.50		26	763	110 32	00000
	RAAH 0126	ENGL0098 05	1 1	9.25 10.40		22	763	110 32	00000
	RAAH 0126	ENGL1010 02	1 1 1	10.00 10.50		30	763	110 32	00000
	RAAH 0126	ENGL0098 06	1 1	10.50 12.05		25	763	110 32	00000
	RAAH 0126	ENGL1010 07	1 1 1	11.00 11.50		9	763	110 32	00000
	RAAH 0126	ENGL1010 16	1 1	12.00 13.15		29	763	110 32	00000
	RAAH 0126	GAEC1100 02	1 1	18.00 19.30		14	763	110 32	00000
	RAAH 0126	GAEC1110 02	1 1	19.35 21.00		14	763	110 32	00000
	RAAH 0127	HIST2020 01	1 1 1	8.00 8.50		30	776	110 32	00000
	RAAH 0127	HIST2020 02	1 1 1	9.00 9.50		31	776	110 32	00000
	RAAH 0127	HIST2020 05	1 1	9.25 10.40		32	776	110 32	00000
	RAAH 0127	ENGL1010 05	1 1 1	10.00 10.50		21	776	110 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 17

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0127	HIST2020	06	1 1	10.50 12.05	30	776	110 32 00000
	RAAH	0127	HIST2100	01	1 1 1	11.00 11.50	21	776	110 32 00000
	RAAH	0127	CRMJ2410	01	1 1	12.15 13.30	9	776	110 32 00000
	RAAH	0127	GAEC1300	01	1 1	18.00 21.00	10	776	110 32 00000
	RAAH	0144	SPCH1200	02	1 1 1	9.00 9.50	22	745	110 30 00000
	RAAH	0144	ENGL1010	09	1 1	9.25 10.40	31	745	110 30 00000
	RAAH	0144	SPCH1200	01	1 1 1	10.00 10.50	27	745	110 30 00000
	RAAH	0144	ENGL1010	12	1 1	12.15 13.30	30	745	110 30 00000
	RAAH	0226	PSYC2010	01	1 1 1	8.00 8.50	37	1,059	110 40 00000
	RAAH	0226	PSYC2335	01	1 1	8.00 9.15	40	1,059	110 40 00000
	RAAH	0226	PSYC2335	02	1 1 1	9.00 9.50	41	1,059	110 40 00000
	RAAH	0226	PSYC2010	02	1 1	9.25 10.40	27	1,059	110 40 00000
	RAAH	0226	PSYC2010	05	1 1	10.50 12.05	33	1,059	110 40 00000
	RAAH	0226	PSYC2010	03	1 1 1	11.00 11.50	39	1,059	110 40 00000
	RAAH	0226	PSYC2010	08	1 1	12.00 13.15	34	1,059	110 40 00000
	RAAH	0226	PSYC2010	06	1 1	12.15 13.30	32	1,059	110 40 00000
	RAAH	0226	PSYC2335	10	1 1	16.00 17.15	35	1,059	110 40 00000
	RAAH	0227	CRMJ1120	01	1 1 1	8.00 8.50	31	1,059	110 40 00000
	RAAH	0227	CRMJ1120	02	1 1	8.00 9.15	33	1,059	110 40 00000
	RAAH	0227	CRMJ1220	01	1 1 1	9.00 9.50	36	1,059	110 40 00000
	RAAH	0227	CSSK1010	14	1	9.25 10.15	12	1,059	110 40 00000
	RAAH	0227	CRMJ1110	01	1	9.25 10.40	36	1,059	110 40 00000
	RAAH	0227	CRMJ2422	01	1 1 1	10.00 10.50	8	1,059	110 40 00000
	RAAH	0227	CRMJ1110	02	1 1	10.50 12.05	25	1,059	110 40 00000
	RAAH	0227	CRMJ2322	01	1 1 1	11.00 11.50	13	1,059	110 40 00000
	RAAH	0227	CRMJ2420	01	1	12.15 13.30	17	1,059	110 40 00000
	RAAH	0227	BIOL2103	01	1 1	12.15 13.30	22	1,059	110 40 00000
	RAAH	0227	POLI1100	01	1	17.25 20.05	8	1,059	110 40 00000
	RAAH	0227	CRMJ1220	02	1	17.25 20.05	6	1,059	110 40 00000
	RAAH	0229	ARTS1200	01	1 1 1	9.00 9.50	31	754	110 32 00000
	RAAH	0229	ARTS1200	02	1 1 1	10.00 10.50	30	754	110 32 00000
	RAAH	0229	ARTS1200	04	1 1	10.50 12.05	29	754	110 32 00000
	RAAH	0229	CSSK1010	07	1	11.00 11.50	15	754	110 32 00000
	RAAH	0229	CSSK1010	08	1	11.00 11.50	12	754	110 32 00000
	RAAH	0229	CSSK1010	10	1	11.00 11.50	15	754	110 32 00000
	RAAH	0229	ARTS1200	05	1 1	12.15 13.30	32	754	110 32 00000
	RAAH	0229	CRMJ2552	01	1	13.00 13.50	9	754	110 32 00000
	RAAH	0230	CRMJ2510	01	1 1	9.00 9.50	16	754	110 32 00000
	RAAH	0230	CRMJ2322	01	1 1 1	11.00 11.50	13	754	110 32 00000
	RAAH	0241	ENGL0098	30	1 1 1	9.00 9.50	20	776	110 32 00000
	RAAH	0241	MATH0098	04	1 1	9.25 10.40	21	776	110 32 00000
	RAAH	0241	ENGL0099	30	1 1 1	10.00 10.50	22	776	110 32 00000
	RAAH	0241	MATH0099	02	1 1	10.50 12.05	20	776	110 32 00000
	RAAH	0241	ENGL1010	28	1	12.15 13.30	24	776	110 32 00000
	RAAH	0241	CSSK1010	09	1	17.30 18.20	10	776	110 32 00000
	RAAH	0241	CSSK1010	11	1	17.30 18.20	3	776	110 32 00000
	RAAH	0242	PSYC2010	04	1 1	8.00 9.15	27	763	110 32 00000
	RAAH	0242	CRMJ2510	01	1 1	9.00 9.50	16	763	110 32 00000
	RAAH	0242	CRMJ1110	03	1	9.00 9.50	14	763	110 32 00000
	RAAH	0242	ENGL1020	04	1 1	9.25 10.40	25	763	110 32 00000
	RAAH	0242	ENGL0098	01	1 1 1	10.00 10.50	25	763	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 18

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0242	ENGL2535 01	1	10.50 12.05		18	763	110 32 00000
	RAAH	0242	CRMJ2340 01	1	10.50 12.05		20	763	110 32 00000
	RAAH	0242	ENGL0098 02	1 1 1	11.00 11.50		27	763	110 32 00000
	RAAH	0242	ENGL0099 05	1 1	12.00 13.15		23	763	110 32 00000
	RAAH	0242	ENGL1010 04	1 1	12.15 13.30		30	763	110 32 00000
	RAAH	0242	ENGL0099 10	1 1	17.30 18.45		26	763	110 32 00000
	RAAH	0242	ENGL1010 10	1	18.50 20.05		14	763	110 32 00000
	RAAH	0242	ENGL1010 11	1	18.50 20.05		7	763	110 32 00000
	RAAH	0243	ENGL0099 04	1 1 1	9.00 9.50		27	759	110 32 00000
	RAAH	0243	ENGL0099 03	1 1	9.25 10.40		29	759	110 32 00000
	RAAH	0243	ENGL0098 03	1 1 1	10.00 10.50		17	759	110 32 00000
	RAAH	0243	ENGL1010 06	1	10.50 12.05		30	759	110 32 00000
	RAAH	0243	ENGL1010 08	1	10.50 12.05		31	759	110 32 00000
	RAAH	0243	ENGL1010 03	1 1 1	11.00 11.50		30	759	110 32 00000
	RAAH	0243	ENGL2010 01	1 1	12.00 13.15		16	759	110 32 00000
	RAAH	0243	ENGL1020 03	1 1	12.15 13.30		20	759	110 32 00000
	RAAH	0243	ENGL0098 11	1 1	17.20 18.35		6	759	110 32 00000
	RAAH	0243	ENGL0098 12	1	18.45 20.00		15	759	110 32 00000
	RAAH	0244	HIST2010 03	1 1 1	9.00 9.50		30	799	110 35 00000
	RAAH	0244	HIST1220 01	1 1	9.25 10.40		17	799	110 35 00000
	RAAH	0244	HIST2020 03	1 1 1	10.00 10.50		30	799	110 35 00000
	RAAH	0244	HIST2010 02	1 1	10.50 12.05		29	799	110 35 00000
	RAAH	0244	HIST1220 02	1 1 1	11.00 11.50		19	799	110 35 00000
	RAAH	0244	HIST2010 01	1 1	12.15 13.30		28	799	110 35 00000
	RAAH	0244	HIST2020 04	1 1	13.25 14.40		19	799	110 35 00000
	RAAH	0244	MATH0098 17	1	17.00 18.15		19	799	110 35 00000
	RAAH	0244	MATH0098 16	1	17.00 18.15		18	799	110 35 00000
4	SRTC	0108	ZSAS0102 01	1 1 1	7.30 16.30	1	25	2,519	610 250 00000
4	SRTC	0110	ZGLC0101 01	11111	7.00 16.00	1	20	1,131	680 50 00000
4	SRTC	0304	ZSAS0101 01	11111	8.00 16.30	1	30	723	680 32 00000
4	SRTC	0305	ZSAS0101 01	11111	8.00 16.30	1	30	723	110 32 00000
4	SRTC	0306	ZSAS0101 01	11111	8.00 16.30	1	30	723	680 32 00000
4	SRTC	0307	ZSAS0101 01	11111	8.00 16.30	1	30	718	240 40 00000
	SRTC	0403	INST1310 02	1	7.55 9.55		25	720	210 32 00000
	SRTC	0403	INST1310 01	1 1 1	8.00 9.30		25	720	210 32 00000
	SRTC	0403	INST2812 02	1 1	10.05 12.05		21	720	210 32 00000
	SRTC	0403	INST2722 01	1 1 1	11.00 12.20		20	720	210 32 00000
	SRTC	0403	INST2812 01	1 1	14.00 16.00		23	720	210 32 00000
	SRTC	0403	ELEC1430 03	1 1	14.00 16.05		17	720	210 32 00000
	SRTC	0404	INST2420 02	1	7.55 10.00		22	722	110 32 00000
	SRTC	0404	ELEC1122 02	1 1 1	8.00 9.15		27	722	110 32 00000
	SRTC	0404	INST1010 02	1 1 1	10.55 12.00		24	722	110 32 00000
	SRTC	0404	INST1410 01	1 1	10.55 12.55		23	722	110 32 00000
	SRTC	0404	ELEC1230 01	1 1	13.00 15.05		20	722	110 32 00000
	SRTC	0404	ELEC1430 01	1 1	16.25 18.30		19	722	110 32 00000
	SRTC	0405	ELEC1312 01	1 1 1	8.00 8.50		24	722	110 32 00000
	SRTC	0405	INST1010 01	1 1	10.10 12.10		29	722	110 32 00000
	SRTC	0405	INST2732 01	1 1 1	10.15 11.20		17	722	110 32 00000
	SRTC	0405	ELEC1122 01	1 1	13.00 14.40		20	722	110 32 00000
	SRTC	0405	INST1410 02	1 1	16.30 18.30		20	722	110 32 00000
	SRTC	0406	INST2420 01	1 1 1	8.00 9.20		20	722	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 19

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SRTC	0406	ELEC1000 02	1 1	8.00 9.30		26	722	110 32 00000
	SRTC	0406	ELEC1230 02	1 1 1	10.10 11.30		21	722	110 32 00000
	SRTC	0406	ELEC1240 02	1 1	10.10 11.50		20	722	110 32 00000
	SRTC	0406	ELEC1000 01	1 1 1	12.00 13.05		22	722	110 32 00000
	SRTC	0406	INST2732 02	1 1	13.00 14.45		19	722	110 32 00000
	SRTC	0407	ELEC1240 01	1 1 1	10.00 11.05		21	720	210 32 00000
	SRTC	0407	ELEC1000 01	1 1 1	12.00 13.05		22	720	210 32 00000
	SRTC	0407	INST2722 02	1 1	14.30 16.30		20	720	210 32 00000
	SRTC	0502	INST2812 02	1 1	10.05 12.05		21	1,425	210 26 00000
	SRTC	0502	INST2812 01	1 1	14.00 16.00		23	1,425	210 26 00000
	SRTC	0504	INST2722 01	1 1 1	11.00 12.20		20	918	210 25 00000
	SRTC	0504	INST2722 02	1 1	14.30 16.30		20	918	210 25 00000
4	SRTC	0505	ZWTC0105 01	11111	7.00 16.00	1	25	908	210 25 00000
4	SRTC	0507	ZWTC0105 01	11111	7.00 16.00	1	25	908	210 32 00000
	SRTC	0508	INST2420 02	1	7.55 10.00		22	918	210 19 00000
	SRTC	0508	INST2420 01	1 1 1	8.00 9.20		20	918	210 19 00000
	SRTC	0508	INST1010 01	1 1	10.10 12.10		29	918	210 19 00000
	SRTC	0508	INST1010 02	1 1 1	10.55 12.00		24	918	210 19 00000
4 8	SRTC	0509	ZMIL0101 01	1111	7.30 15.30		13	102	215 00000
4 8	SRTC	0509	ZWTC0101 01	11111	8.00 16.30	1 1	30	102	215 00000
8	SRTC	0510	INST2420 02	1	7.55 10.00		22	202	210 4 00000
8	SRTC	0510	INST2420 01	1 1 1	8.00 9.20		20	202	210 4 00000
4 8	SRTC	0510	ZWTC0101 01	11111	8.00 16.30	1 1	30	202	210 4 00000
8	SRTC	0510	INST1010 01	1 1	10.10 12.10	1	29	202	210 4 00000
8	SRTC	0510	INST1010 02	1 1 1	10.55 12.00		24	202	210 4 00000
	SRTC	0510X	INST2420 02	1	7.55 10.00		22	2,065	210 50 00000
	SRTC	0510X	INST2420 01	1 1 1	8.00 9.20		20	2,065	210 50 00000
	SRTC	0510X	INST1010 01	1 1	10.10 12.10		29	2,065	210 50 00000
	SRTC	0510X	INST1010 02	1 1 1	10.55 12.00		24	2,065	210 50 00000
	SRTC	0512	CLTE1000 01	1 1 1	9.00 9.50		17	1,314	210 25 00000
	SRTC	0512	CLTE2002 01	1 1	9.25 12.25		7	1,314	210 25 00000
	SRTC	0512	CLTE2000 01	1 1 1	11.00 11.50		7	1,314	210 25 00000
	SRTC	0512	CHEM2031 01	1	12.00 15.00		3	1,314	210 25 00000
8	SRTC	0513	CLTE1000 01	1 1 1	9.00 9.50		17	453	210 10 00000
	SRTC	0513	CLTE2002 01	1 1	9.25 12.25		7	453	210 10 00000
	SRTC	0513	CLTE2000 01	1 1 1	11.00 11.50		7	453	210 10 00000
	SRTC	0513	CHEM2031 01	1	12.00 15.00		3	453	210 10 00000
	SRTC	0606	INST1310 02	1	7.55 9.55		25	941	210 20 00000
	SRTC	0606	INST1310 01	1 1 1	8.00 9.30		25	941	210 20 00000
	SRTC	0606	INST2732 01	1 1 1	10.15 11.20		17	941	210 20 00000
	SRTC	0606	INST1410 01	1 1	10.55 12.55		23	941	210 20 00000
	SRTC	0606	INST2732 02	1 1	13.00 14.45		19	941	210 20 00000
	SRTC	0606	INST1410 02	1 1	16.30 18.30		20	941	210 20 00000
	SRTC	0607	INST1111 02	1 1	8.00 10.05		22	1,416	210 32 00000
	SRTC	0607	INST1111 01	1 1 1	10.00 11.30		20	1,416	210 32 00000
	SRTC	0607	INST1112 02	1 1	11.30 13.35		18	1,416	210 32 00000
	SRTC	0607	INST1112 01	1 1 1	12.30 14.00		20	1,416	210 32 00000
	SRTC	0607	INST1111 04	1 1	13.40 15.40		19	1,416	210 32 00000
	SRTC	0608	ELEC1220 01	1 1 1	8.00 9.20		9	1,400	210 32 00000
	SRTC	0608	ELEC2220 03	1 1	8.00 10.05		14	1,400	210 32 00000
	SRTC	0608	ELEC1220 02	1 1 1	10.00 11.20		20	1,400	210 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/19/2019 15:02:37
 PAGE NUM 20

SOWELA TECHNICAL COMMUNITY COLLEGE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	SRTC 0608	ELEC2220 02	1 1	10.30 12.35		10	1,400	210 32	00000
	SRTC 0608	ELEC2220 01	1 1	12.30 14.35		9	1,400	210 32	00000
	SRTC 0608	ELEC1220 03	1 1	12.40 14.45		16	1,400	210 32	00000
4	SRTC 0610	ZMIL0101 01	1111	7.30 15.30		13	1,108	210 20	00000
4	SRTC 0611	ZMIL0101 01	1111	7.30 15.30		13	1,108	215 20	00000
	STRC 0303	ZEPA0101 01		9.30 14.30	1	5			00000
	TRAN 0001	VMRE1622 01	11111	8.30 11.45		16	698	210 30	00000
	TRAN 0001	VMRE1360 01	11111	12.30 15.00		25	698	210 30	00000
	TRAN 0003	VMRE1002 01	11111	8.30 11.45		17	698	215 15	00000
8	TRAN 0003	VMRE1622 02	11111	8.30 11.45	1	12	698	215 15	00000
	TRAN 0003	VMRE1202 01	11	15.30 18.15		20	698	215 15	00000
	TRAN 0100	VMRE1502 01	11111	8.30 11.45		15	4,322	210 40	00000
	TRAN 0100	VMRE1702 01	11111	12.30 15.00		16	4,322	210 40	00000
	TRAN 0200	VMRE1502 01	11111	8.30 11.45		15	4,362	210 40	00000
	TRAN 0200	VMRE1622 01	11111	8.30 11.45	1	16	4,362	210 40	00000
	TRAN 0200	VMRE1360 01	11111	12.30 15.00		25	4,362	210 40	00000
	TRAN 0300	VMRE1622 02	11111	8.30 11.45		12	3,954	210 40	00000
	TRAN 0300	VMRE1702 01	11111	12.30 15.00		16	3,954	210 40	00000
	TRAN 0300	VMRE1202 01	11	15.30 18.15		20	3,954	210 40	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	191
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	176
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	2
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	369
TOTAL NUMBER OF RECORDS READ	- - - - -	988
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	981
NUMBER OF JOINT-CLASS RECORDS	- - - - -	234
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	17

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/19/2019 15:02:37

PAGE NUM 1

SOWELA TECHNICAL COMMUNITY COLLEGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			67
TOTAL NUMBER OF STATIONS (CAPACITY)			2,227
WEEKLY STUDENT CONTACT HOURS	34,980	1,111	36,091
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,030	3,350	9,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,371	197	4,568
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	200,430	111,350	311,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	129,211	6,354	135,565
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	69,960	2,223	72,183
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.5	5.9	48.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.9	2.0	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.1	35.0	53.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			67
TOTAL NUMBER OF STATIONS (CAPACITY)			2,227
WEEKLY STUDENT CONTACT HOURS	34,980	1,111	36,091
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,030	3,350	9,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,371	197	4,568
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	200,430	111,350	311,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	129,211	6,354	135,565
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	69,960	2,223	72,183
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	72.5	5.9	48.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.9	2.0	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	54.1	35.0	53.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/19/2019 15:02:37
 PAGE NUM 2

SOWELA TECHNICAL COMMUNITY COLLEGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			111
TOTAL NUMBER OF STATIONS (CAPACITY)			2,695
WEEKLY STUDENT CONTACT HOURS	72,017	1,548	73,565
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,990	5,550	15,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,908	242	11,150
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	242,550	134,750	377,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	281,423	7,700	289,123
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	144,035	3,096	147,131
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	109.2	4.4	71.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.4	2.3	39.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.2	40.2	50.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			111
TOTAL NUMBER OF STATIONS (CAPACITY)			2,695
WEEKLY STUDENT CONTACT HOURS	72,017	1,548	73,565
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,990	5,550	15,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,908	242	11,150
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	242,550	134,750	377,300
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	281,423	7,700	289,123
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	144,035	3,096	147,131
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	109.2	4.4	71.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.4	2.3	39.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.2	40.2	50.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY